

**IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA
CHARLESTON DIVISION**

IN RE: ETHICON, INC. PELVIC REPAIR
SYSTEMS PRODUCTS LIABILITY
LITIGATION

Master File No. 2:12-MD-02327
MDL 2327

ETHICON WAVE 5 CASES LISTED IN
EXHIBIT A

JOSEPH R. GOODWIN U.S. DISTRICT
JUDGE

**NOTICE OF ADOPTION OF PRIOR DAUBERT RESPONSE OF
JULIE DROLET, M.D. FOR WAVE 5**

Defendants adopt and incorporate by reference the *Daubert* response filed as to Julie Drolet, M.D. for Ethicon Wave 4, Dkt. [3789]. Defendants respectfully request that the Court deny Plaintiffs' motion for the reasons expressed in the Wave 4 response briefing.

Respectfully submitted,

ETHICON, INC., ETHICON, LLC AND
JOHNSON & JOHNSON

/s/ Christy D. Jones

Christy D. Jones
Butler Snow LLP
1020 Highland Colony Parkway
Suite 1400 (39157)
P.O. Box 6010
Ridgeland, MS 39158-6010
(601) 985-4523

/s/ David B. Thomas

David B. Thomas (W. Va. Bar #3731)
Thomas Combs & Spann PLLC
300 Summers Street
Suite 1380 (25301)
P.O. Box 3824
Charleston, WV 25338
(304) 414-1807
dthomas@tcspllc.com

CERTIFICATE OF SERVICE

I hereby certify that on this day, I electronically filed the foregoing document with the Clerk of the court using CM/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

/s/ Christy D. Jones

Christy D. Jones

36303814v1